

PART 8 - CLIMATIC DATA

8.1 Climatic data for the design of **buildings** in the **City** shall be:

January 2½%	Design Temperature	-17°C	
January 1%	Design Temperature	-20°C	
July 2½%	Design Temperature, dry	33°C	92 degrees F
July 2½%	Design Temperature, wet	20°C	
Degree days below 18°C		3,730	
15-minute rainfall		10 mm	
One-day rainfall		64 mm	
Annual total precipitation		317 mm	
Ground snow load	SS	1.8 kPa	
	SR	0.1 kPa	
Hourly wind pressures	1/10	0.34 kPa	
	1/30	0.43 kPa	
	1/100	0.53 kPa	
Seismic data	Za	1	
	Zv	1	
Zonal velocity ratio	v	0.05	
Depth of frost penetration		600 mm	

PART 9 - BUILDING MOVE

9.1 **Building Placement Certificate**

9.1.1 No **building**, with the exception of new factory assembled **buildings**, or accessory **buildings** under 50 m² shall be moved to or placed upon any land within the **City** unless a **Building** Placement Certificate has first been issued by the **Building Inspector**.

9.1.2 Where a **Building** Placement Certificate is required by the provisions of Section 9.1 of this bylaw, the **owner** of the land onto which the **building** is intended to be moved shall:

- (a) prepare a signed, written statement marked with the heading "Application for a **Building** Placement Certificate" containing the following information:
 - (i) the civic address of the lot on which the **building** is to be placed;
 - (ii) the complete legal description of the lot on which the **building** is to be placed;
 - (iii) the full name and mailing address of the applicant or his **agent**.